

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF KENTUCKY UTILITIES)	
COMPANY FOR CERTIFICATES OF PUBLIC)	CASE NO.
CONVENIENCE AND NECESSITY AND)	2011-00161
APPROVAL OF ITS 2011 COMPLIANCE PLAN)	
FOR RECOVERY BY ENVIRONMENTAL)	
SURCHARGE)	
APPLICATION OF LOUISVILLE GAS AND)	
ELECTRIC COMPANY FOR CERTIFICATES OF)	CASE NO.
PUBLIC CONVENIENCE AND NECESSITY AND)	2011-00162
APPROVAL OF ITS 2011 COMPLIANCE PLAN)	
FOR RECOVERY BY ENVIRONMENTAL)	
SURCHARGE)	

O R D E R

On August 5, 2011, Kentucky Utilities Company ("KU") and Louisville Gas and Electric Company ("LG&E") filed identical motions in their respective cases requesting a deviation from the Commission's June 28, 2011 Order, which required KU and LG&E to provide an original and 15 copies of all data responses and attachments. KU and LG&E state that the documents contained in their responses to the Initial Requests for Production of Documents filed by Rick Clewett, Raymond Berry, Sierra Club, and Natural Resources Defense Council ("Environmental Intervenors' Initial Request") Nos. 3, 4, 10, 11, 17, and 26 total approximately 500 megabytes of data on multiple compact discs. KU and LG&E point out that to provide such attachments on paper would total over 200,000 pages per copy and certain attachments would be unintelligible because they are intended to be read by computers. Moreover, KU and LG&E assert that the


Environmental Intervenors' Initial Request explicitly requested that responses be provided in electronic format.

Due to the voluminous nature of these documents, KU and LG&E request permission to provide the Commission and the parties to these cases electronic copies only of the responses to the Environmental Intervenors' Initial Request Nos. 3, 4, 10, 11, 17, and 26.


Having reviewed the motion and being otherwise sufficiently advised, the Commission finds that KU and LG&E have established good cause to deviate from the provision in the June 28, 2011 Order that requires the filing of 15 paper copies with the Commission and service of a paper copy on all parties to these cases. The Commission finds that the responses to the aforementioned Environmental Intervenors' Initial Request are sufficiently voluminous to allow KU and LG&E to substitute electronic copies for the paper copies to be filed with the Commission and served on the parties.

IT IS THEREFORE ORDERED that the motions to deviate from the filing requirements of the June 28, 2011 Order are granted, and KU and LG&E may substitute electronic copies of their respective responses to the Environmental Intervenors' Initial Request Nos. 3, 4, 10, 11, 17, and 26.

By the Commission



ATTEST:


Executive Director

Lonnie Bellar
Vice President, State Regulation & Rates
LG&E and KU Services Company
220 West Main Street
Louisville, KENTUCKY 40202

Honorable Michael L Kurtz
Attorney at Law
Boehm, Kurtz & Lowry
36 East Seventh Street
Suite 1510
Cincinnati, OHIO 45202

David Brown
Stites & Harbison, PLLC
1800 Providian Center
400 West Market Street
Louisville, KENTUCKY 40202

Honorable Kendrick R Riggs
Attorney at Law
Stoll Keenon Ogden, PLLC
2000 PNC Plaza
500 W Jefferson Street
Louisville, KENTUCKY 40202-2828

Robert M Conroy
Director, Rates
Louisville Gas and Electric Company
220 W. Main Street
P. O. Box 32010
Louisville, KY 40202

Allyson K Sturgeon
Senior Corporate Attorney
LG&E and KU Services Company
220 West Main Street
Louisville, KENTUCKY 40202

Thomas J FitzGerald
Counsel & Director
Kentucky Resources Council, Inc.
Post Office Box 1070
Frankfort, KENTUCKY 40602

Edward George Zuger, III
Zuger Law Office PLLC
P.O. Box 728
Corbin, KENTUCKY 40702

Robert A Ganton, Esq
Regulatory Law Office - U.S. Army Leg
901 North Stuart Street, Suite 525
Arlington, VIRGINIA 22203

Esq Scott E Handley
Administrative Law Division - Office
50 Third Avenue, Room 215
Fort Knox, KENTUCKY 40121

Honorable Dennis G Howard II
Assistant Attorney General
Office of the Attorney General Utility & Rate
1024 Capital Center Drive
Suite 200
Frankfort, KENTUCKY 40601-8204